

Image

Native Resolution

1920 x 1080

Maximum Resolution

1920 x 1200

Standard Mode Brightness

Up to 3500 lm

Native Aspect Ratio

16:9

Compatible Aspect Ratio

4:3

Contrast Ratio

20,000:1

Throw Ratio

1.37 to 1.66 (66"@78.74")

Digital Zoom

1.8x

Vertical Keystone Correction

-30°/+30°

Horizontal Keystone Correction

-30°/+30°

Maximum Vertical Sync

120 Hz

Maximum Horizontal Sync

100 kHz

Minimum Vertical Sync

24 Hz

Minimum Horizontal Sync

15 kHz

Color Supported

1.07 Billion Colors (30-bit)

Projection Lens

Minimum Lens Aperture

F/2.47

Maximum Lens Aperture

F/2.66

Minimum Focal Length

20.40 mm

Maximum Focal Length

24.48 mm

Minimum Diagonal Image Size

40"

Maximum Diagonal Image Size

25 ft

Minimum Projection Distance

39.37"

Maximum Projection Distance

30.51 ft

Optical Zoom

1.2x

Lamp

Lamp Type

UHP

Number of Lamps

1

Lamp Power

210 W

Normal Mode Lamp Life

5000 Hour

Economy Mode Lamp Life

10000 Hour

ExtremeEco Mode Lamp Life

15000 Hour

Interfaces/Ports

HDMI

Yes

Number of USB Ports

2

USB

Yes

Number of Network (RJ-45) Ports

1

Network (RJ-45)

Yes

Number of VGA Inputs

1

VGA In

Yes

Number of VGA Outputs

1

VGA Out

Yes

Number Of Audio Inputs

1

Number Of Audio Outputs

1

Audio Line In

Yes

Audio Line Out

Yes

Total Number of HDMI Ports

2

Technical Information

Projection System

DLP

Projection Method

Ceiling

Front

Rear

Rear Ceiling

Video Compatibility

EDTV

HDTV

NTSC

PAL

SDTV

SECAM

Computer Compatibility

Mac PC

Windows PC

Audio

Number of Speakers

1

Speaker Output Power

2 W

Speaker Output Mode

Mono

Multimedia Features

Multimedia Playback

Adobe PDF Viewer

Microsoft Excel

Microsoft PowerPoint

Microsoft Word

Photo Slide Show

Power Description

Power Supply

100 V AC~240 V AC

Input Voltage

120 V AC

230 V AC

Operating Power Consumption

270 W

Operating Power Consumption (Eco Mode)

230 W

Physical Characteristics

Temperature

32°F (0°C) to 104°F (40°C)

Humidity

90% Maximum Relative Humidity

Weight (Approximate)

5.73 lb

Form Factor

Ceiling Mountable

Miscellaneous

Package Contents

H6535i DLP Projector

AC Power Cord

Battery for Remote Control

Quick Start Guide

Remote Control

VGA Cable

WirelessProjection-Kit

Optional Accessories

3D Glasses (MC.JFZ11.00E)

Lamp (MC.JRD11.001)

Ceiling Mount (MC.JLC11.003)

Warranty

Warranty

Limited Warranty agreement applies.