

Specification

Display

Technology DLP™	Resolution 1080p Full HD (1920x1080)
Brightness 5,600 ISO Lumens	Contrast ratio 3,000,000:1
Native aspect ratio 16:9	Aspect ratio - compatible 4:3, 16:9
Keystone correction - horizontal +/-30°	Keystone correction - vertical +/-30°
Horizontal scan rate 15.375~135 KHz	Vertical scan rate 23.97~120 Hz
Uniformity 75%	Screen size 28" - 145" diagonal

Light source

Light source type Laser	Light source life 30,000 hours (Eco mode)
-----------------------------------	---

Optical

—

Throw ratio 1.4:1 - 2.24:1	Projection distance 1m - 9.3m / 39.37" - 366.14"
Optical Zoom 1.6x	Digital Zoom 0.8 -2.0x
Focal length 20.91 mm ~ 32.62 mm	Native offset 103.5%~ 118.6%
Lens shift 103%~118%	

Connectivity

—

Connections- Inputs 2 x HDMI 2.0 Audio in VGA-In USB-A (5V/ 1.5A) USB-A (for Wi-Fi Dongle only) Audio 3.5mm 3D sync,	Connections - Control 1 x RJ45, 1 x RS232, 1 x 12V trigger
--	--

General

—

Noise level (min)

28 dB(A)

Noise level (max)

33 dB(A)

3D

Full 3D

Security

Security bar, Kensington Lock,
Password protected interface

OSD / display languages

27 languages: Arabic, Czech, Danish,
Dutch, English, Farsi, Finnish, French,
German, Greek, Hungarian,
Indonesian, Italian, Japanese, Korean,
Norwegian, Polish, Portuguese,
Romanian, Russian, Simplified
Chinese, Spanish, Swedish, Thai,
Traditional Chinese, Turkish,
Vietnamese

24/7 operation

Yes

360° operation

Yes

Operating conditions

Max Temperature(operating): 0 ~ 40°C;
Tolerance +/- 2°C,
Max Altitude(operating): 10,000 ft., for
0°C~30°C,
Max humidity(operating): 80% RH, non-
condensing

Operating conditions

Max Temperature(operating): 0 ~ 40°C;
Tolerance +/- 2°C,
Max Altitude(operating): 10,000 ft., for
0°C~30°C,
Max humidity(operating): 80% RH, non-
condensing

Remote control

Business remote control

Speaker count & Watts per speaker

15W

In the box

AC power cord
Remote control
2 x AAA batteries
EZC-USB Dual-Band Wi-Fi Adapter
Quick start user manual

Networking

—

LAN control

Yes

Power

—

Power supply

AC 100 ~ 240 V, 50 ~ 60 Hz

Power consumption (standby)

≤0.5 W

Power consumption (eco mode)

200W ±15%@110V
195W ±15%@220V

Power consumption (bright mode)

230W ±15%@110V
225W ±15%@220V

Weight and dimensions

—

Dimensions (W x D x H)

274 x 216 x 114mm (with feet) / 10.79" × 8.50" × 4.49"

Gross weight

4.38 Kg / 9.66 lbs

Net weight

2.9 Kg / 6.39 lbs

