

DP2000s DP2000x



The highest performers in their class.

EXPERIENCE THE VALUE OF PROJECTION

A more efficient way to communicate and collaborate in any presentation or meeting

GREAT RETURN ON INVESTMENT

The projector pays for itself in less than one year

VERSATILE

Carry your projector from room to room, put it on a cart, or mount it on the ceiling

ABUNDANT SOURCES

Plug into your computer, VCR, DVD, digital camera, or PC for big screen Internet, movies, slide shows or PowerPoint presentations

ACTIVE MONITOR LOOP-THROUGH

View your computer monitor even when the projector is off

FLEXIBLE IMAGE PLACEMENT

Even in small classrooms or meeting rooms, images fit the screen perfectly from nearly anywhere the projector is located

DP2000s/DP2000x



Dual infrared sensors
wireless control of the projector from anywhere

One-touch keypad
access common functions at the touch of a button

USB/PS2 connectivity
flexible mouse control

Audio input
built-in 1-Watt speaker




Leveling foot
for perfect image placement

Connect both composite video and S-Video
display videos, photos, home movies on the big screen

PRESENTATIONS THAT PERSUADE

Your brilliant ideas already hold the attention of your audience or students. But imagine what you could do with images, color, sound, and the ability to show movies or view information on the Internet live to support your message. When you present with a Proxima® DP2000s or DP2000x projector, the possibilities are endless. You can persuade and convince people with a variety of multimedia content. Information retention is higher and collaboration is immediate—people are inspired to participate. The DP2000s and DP2000x also make small group meetings more efficient—instead of scribbling notes on the whiteboard, you can brainstorm and capture ideas or complete spreadsheets in real-time.



EASY, INTUITIVE, PROXIMA

Proxima projectors add value to your presentation without adding inconvenience. At only 5.7 lbs/2.6 kg, the DP2000s and DP2000x have a new design that revolutionizes ease-of-use. Set-up and control of the projector are right at your fingertips. Color-coded connectors and cables enable you to plug the projector into your computer or video source in seconds. The intuitive keypad on top of the projector provides many quick and easy adjustments at the touch of a

button with user-friendly menus that pop up on the screen telling you exactly what to do next. You just scroll and select.

Reasonably light in weight, the DP2000s and DP2000x can be easily carted or carried from room to room. An optional

security lock reduces the risk of theft. They can also be ceiling or tablemounted for flexible meeting room configurations—all-around, all-purpose projectors. As a valuable business tool and a shared resource, the DP2000s and DP2000x are an investment you won't want to be without.



Computer connectivity
attach your PC for dynamic presentations, collaboration

Active monitor loop-through
view attached desktop monitor—even when the projector is off

AC Power

Security Lock Mount
should you need to leave the projector set up overnight




CONTROL YOUR PROJECTOR FROM YOUR PC

ProjectorManager™ software allows you to quickly and easily operate your projector from your computer. Make adjustments to the projected image or change settings without using a remote. When you want to make a minor change to your presentation before showing it to your audience, ProjectorManager enables you to change your content while the image on the screen remains frozen. If you need a little extra help, you can discreetly troubleshoot or even send e-mail to InFocus Technical Support over the network—no need to look up phone numbers. No matter what comes your way, Proxima projectors make it easy to stay cool and collected during your presentation.

OUTSTANDING PERFORMANCE, RIGHT PRICE

The DP2000s and DP2000x provide best-in-class performance at a price that won't blow your budget. With InFocus® Quality Video you can connect your projector to a VCR or DVD player and show movies. Add the Internet to your presentations and refer to information on the Web live on the big screen. You can even connect easily to a digital camera for a larger-than-life slideshow. No matter what you want to project, the DP2000s and DP2000x make it easy. And, active monitor loop-through means you don't have to unhook the projector when it's not in use to view your computer monitor. A zoom lens allows you to easily adjust the size of your image to fit the big screen in your office or classroom, or a small wall at home. And, with picture-in-picture video and one-touch magnify/zoom, you can view a movie or animated file without switching from presentation mode, or highlight key areas of the screen for added emphasis. With features like this, everyone will want the DP2000s and DP2000x—reserve yours now!



DP2000s DP2000x

THE WORLDWIDE LEADER IN DIGITAL PROJECTION

InFocus® Corporation is the worldwide leader in digital projection. That's why the most demanding businesses insist on InFocus for unquestionable reliability engineered into the most streamlined products.

COUNT ON OUR CUSTOMER CARE

For outstanding service and support that's there when you need it, InFocus Corporation's service programs offer you peace of mind—it's customer care you can count on. For more information on service program details for your region, please visit www.infocus.com/service/service_offerings.



Ships Standard With

- **Wireless Conductor™ Remote Control (including batteries)**
- **Power Cord (national and regional variants)**
- **VGA Computer Cable**
- **Composite Video Cable**
- **Audio Cable**
- **Soft Carry Case**
- **Lens Cap**
- **SCART adapter (EMEA only)**
- **Projector System CD includes: multi-language projector User Guide, projector Quick Start Card, Projector-Manager™ control software, Projector-Manager UG, ProjectorManager Installation Guide, URL/service information/accessories after market**
- **Quick Start Card (printed version)**
- **User Guide (printed version)**

Optional Accessories

CA-ATA-012	Shipping Case (ATA approved)
CASE-802	Samsonite® Deluxe Travel Case
SP-CEIL-004	Projector Mount
SP-LTMT-PLT	False Ceiling Plate
SP-LTMT-EXTP	Mounting Extension Arm
SP-LOCK	Projector Security Cable
A650	50" Diagonal Screen (portable)
HW-DLXSCRN	60" Diagonal Screen (portable)
HW-WALLSCR84	84" Diagonal Wall/Ceiling Mounted Screen
SP-STND	Portable Projector Stand
SP-LAMP-005	Replacement Lamp Module (DP2000s)
SP-LAMP-007	Replacement Lamp Module (DP2000x)
HW-RF-POCKTPNT	Mind Path™ RF PocketPoint Remote
HW-PRESENTER	Presenter™ remote with laser
SP-VGAEXT50D	50' VGA Extension Solution (110V)
SP-VGAEXT50I	50' VGA Extension Solution (220V)

PROJECTION DISTANCE/IMAGE SIZES*

Diagonal Screen Size (inches/m)		Image Width (inches/m)		Max Distance to Screen (feet/m)		Min Distance to Screen (feet/m)	
DP2000s	DP2000x	DP2000s	DP2000x	DP2000s	DP2000x	DP2000s	DP2000x
40"/1m	40"/1m	32"/0.8m	32"/0.8m	5.8'/1.8m	5.7'/1.7m	4.8'/1.5m	4.8'/1.5m
50"/1.3m	50"/1.3m	40"/1m	40"/1m	7.3'/2.2m	7.2'/2.2m	6'/1.8m	6'/1.8m
60"/1.5m	60"/1.5m	48"/1.2m	48"/1.2m	8.8'/2.7m	8.7'/2.7m	7.2'/2.2m	7.2'/2.2m
100"/2.5m	100"/2.5m	80"/2m	80"/2m	14.6'/4.5m	14.5'/4.4m	12'/3.7m	12.1'/3.7m
150"/3.8m	150"/3.8m	120"/3.1m	120"/3.1m	21.9'/6.7m	21.8'/6.6m	18'/5.5m	18.1'/5.5m
200"/5.1m	200"/5.1m	160"/4.1m	160"/4.1m	29.2'/8.9m	29'/8.8m	24'/7.3m	24.2'/7.4m

*Metric conversions are approximate.

TECHNICAL SPECIFICATIONS

Native Resolution	• DP2000s – SVGA 800 X 600 DP2000x – XGA 1024 x 768
Display Technology	• DP2000s – 0.55" Polysilicon TFT LCD DP2000x – 0.7" Polysilicon TFT LCD
Input Sources (standard)	• Computer (VGA 15 pin HDDSUB female); mouse (PS/2 6-pin mini DIN, USB); video (S-Video 6-pin mini DIN and composite video RCA); audio (3.5mm mini jack)
Output Sources (standard)	• Monitor out (VGA 15 pin HDDSUB female)
Computer Compatibility	• VGA, SVGA, XGA, 1152, SXGA, Macintosh®
Video Compatibility	• NTSC, PAL, SECAM, SDTV, EDTV
Brightness	• DP2000s – 1000 ANSI lumens DP2000x – 1100 ANSI lumens
Contrast Ratio	• 400:1 full on/full off
Number of Colors	• 16.7 million colors
H-Synch Range	• 15 – 100 kHz
V-Synch Range	• 43.5 – 130 Hz
Pixel Clock	• 12 – 135 MHz
Digital Keystone Correction	• ±15° vertical correction; data/video
Projection Lens	• Zoom lens with manual focus and manual zoom adjust
Throw Ratio	• 1.8 - 2.15:1
Minimum Projection Distance (standard lens)	• 1.46 m (maximum distance 8.85 m)
Aspect Ratio	• 4:3 and 16:9
Image size (diagonal)	• 1.0 m – 5.1 m
Projection Methods	• Front, ceiling, rear
Audio	• 3.5 mm mini-jack; 1-Watt speaker
Control	• Projector keypad; IR remote control; wired control through USB
Lamp	• DP2000s – 132 – Watt UHP/2000 hours DP2000x – 150 – Watt UHP/2000 hours
Dimensions	• 10.0" (W) x 12.0" (L) x 3.7" (H) 25.5 cm (W) x 30.5 cm (L) x 9.5 cm (H)
Weight	• 5.7 lbs/2.6 kg
Power Consumption	• DP2000s – 199 – Watt (typical); 210 – Watt (maximum) DP2000x – 211 – Watt (typical); 233 – Watt (maximum)
Power Supply	• 100V – 240V at 50 – 60 Hz
Operating Temperature	• 5° – 40° C at sea level (0 – 10,000'); 41° – 104° F
Menu Languages	• English, Norwegian, Spanish, Italian, Portuguese, German, French, Chinese (simple), Chinese (traditional), Japanese, Korean
Audible Noise	• 35dB
Approvals	• UL, c-UL, TÜV GS, CE, GOST, C-Tick, CCC, NOM, IRAM, VCCI, FCC B, CISPR22 /EN 55022, IEC 55024 / CISPR 24, CB certified according to IEC60950 /EN 60950: 1997, S-JQA, P(SE), MIC
Lamp Warranty	• 90 days or 500 hours, whichever comes first
Warranty	• 2 years parts and labor

Contact InFocus Corporation or your Dealer today to arrange a demonstration.

www.proxima.com www.infocus.com

InFocus Corporate Headquarters
In the Americas:
27700B SW Parkway Avenue • Wilsonville, Oregon 97070-9215, USA
Phone: 503-685-8888 • 1-800-294-6400 • Fax: 503-685-8887

In Europe: Olympia 1 • NL-1213 NS Hilversum, The Netherlands
Phone: (31) 35 6474000 • Fax: (31) 35 6423999
Freephone: 008000 4636287 (008000 INFOCUS)

In Asia: 238A Thomson Road • #18-01/04 Novena Square
Singapore 307684 • Telephone: (65) 6334-9005 • Fax: (65) 6333-4525

Proxima is registered trademark of InFocus Corporation. All other trademarks are used with permission or are for identification purposes only and are the property of their respective companies. ©2002 InFocus Corporation. All rights reserved.
7/02 815-0083-00 DP2000s_2000x_DS.qxd.