

Image

Native Resolution

1920 x 1080

Maximum Resolution

1920 x 1200

Standard Mode Brightness

Up to 3000 lm

Native Aspect Ratio

16:9

Compatible Aspect Ratio

4:3

Contrast Ratio

10,000:1

Throw Ratio

0.5:1 (15.08 ft@78.74")

Digital Zoom

2x

Vertical Keystone Correction

-40°/+40°

Maximum Vertical Sync

120 Hz

Maximum Horizontal Sync

100 kHz

Minimum Vertical Sync

24 Hz

Minimum Horizontal Sync

15 kHz

Color Supported

1.07 Billion Colors (30-bit)

Projection Lens

Maximum Lens Aperture

F/2.8

Maximum Focal Length

7.42 mm

Minimum Diagonal Image Size

45"

Maximum Diagonal Image Size

25 ft

Minimum Projection Distance

19.69"

Maximum Projection Distance

10.83 ft

Lamp

Lamp Type

OSRAM

Number of Lamps

1

Lamp Power

210 W

Normal Mode Lamp Life

4000 Hour

Economy Mode Lamp Life

6000 Hour

ExtremeEco Mode Lamp Life

8000 Hour

Interfaces/Ports

HDMI

Yes

USB

Yes

Composite Video

Yes

VGA In

Yes

Audio Line In

Yes

Total Number of HDMI Ports

2

Technical Information

Projection System

DLP

Projection Method

Ceiling

Front

Rear

Video Compatibility

EDTV

HDTV

NTSC

PAL

SDTV

SECAM

Computer Compatibility

Mac PC

Windows PC

3D Capability

DLP 3D

Audio

Number of Speakers

1

Speaker Output Power

2 W

Speaker Output Mode

Mono

Power Description

Power Supply

100 V AC~240 V AC

Input Voltage

120 V AC

230 V AC

Operating Power Consumption

255 W

Operating Power Consumption (Eco Mode)

196 W

Physical Characteristics

Temperature

32°F (0°C) to 104°F (40°C)

Humidity

80% Maximum Relative Humidity

Weight (Approximate)

5.51 lb

Form Factor

Ceiling Mountable

Miscellaneous

Package Contents

H6517ST DLP Projector

AC Power Cord

Battery for Remote Control

Quick Start Guide

Remote Control

Security Card

User's Guide (CD-ROM)

VGA Cable

Optional Accessories

3D Glasses (MC.JFZ11.00E)

Lamp (MC.JK211.00B)

WirelessCAST (MWA3) (MC.JKY11.008)

Ceiling Mount (MC.JLC11.003)

WirelessHD-Kit (MC.JKY11.009)

Warranty

Warranty

Limited Warranty agreement applies.

