

# ASUS ZenBeam E1

Overview Tech Specs Review Support


Where to buy

Buy

perform essential online functions, analyze online activities, provide advertising services and other functions. For detailed information, please visit ["Cookies and similar technologies"](#).

[Cookie Settings](#)

[Accept Cookies](#)

 | [ProArt](#) [Gaming](#) [Business](#)

[Mobile](#) [Laptops](#) [Displays / Desktops](#) [Motherboards / Components](#) [Networking / IoT / Servers](#) [Accessories](#) [Shop](#) [Shop PBA](#) [Support](#) [Register](#)

## Display

Display Technology: DLP  
 Light Source: LED  
 LED Lifespan: 30000 hours  
 Resolution(Native): 854x480 (WVGA)  
 Maximum Input Resolution: 1920x1080  
 Brightness: 150 Lumens  
 Contrast Ratio: 800:1  
 Dynamic Contrast Ratio: 3500:1  
 Color Saturation(NTSC): 100%  
 Display Colors: 16.7 M

## Projection Lens

Throw Ratio: 1.4:1  
 Projection Distance: 0.5m~3.7m  
 Projection Size: 16"~120"  
 Projection Offset: 100%± 5%  
 Zoom Ratio: Fixed  
 Focus: Manual

## Video Feature

Splendid: Presentation Mode  
 Splendid: Standard Mode  
 Splendid: Theater Mode

Feedback

## ASUS ZenBeam E1

[Overview](#) [Tech Specs](#) [Review](#) [Support](#)

[Where to buy](#)

[Buy](#)

Splendid: Flashlight Mode

Keystone Adjustment: Yes,  $\pm 40^\circ$  (Vertical)

Auto Keystone: Yes

Aspect Ratio: 4:3

Aspect Ratio: 16:9

Aspect Ratio: Auto

Projector Placement: Front Table

Projector Placement: Rear Table

Projector Placement: Front Ceiling

Projector Placement: Rear Ceiling

HDCP Support: Yes

---

### Audio Feature

Speaker: Yes(2Wx1)

---

### I/O Ports

HDMI: x 1

MHL: Yes

USB-A: x 1 (Power output 5V/1A)

Audio Out: Yes

---

### Power Consumption

Power Consumption (Max.): <24W

Power Standby Mode: <0.5W

---

### Battery

Battery Capacity: 22Wh

Battery Life (Max.): up to 5 hours

---

### Acoustic Noise (max)

Acoustic Noise (Standard): 30dBA

Acoustic Noise (ECO/Low): 28dBA

Feedback

## ASUS ZenBeam E1

[Overview](#) [Tech Specs](#) [Review](#) [Support](#)[Where to buy](#)[Buy](#)

### Operation Condition

Operation Temperature: 0°C to 35°C

Operation Humidity: 20%~90%

### Mechanical Design

Chassis Color: Silver

Tripod Hole: Yes

Ceiling Mount Hole: Yes

### Dimensions

Phys. Dimension (WxHxD): 110 x 83 x 29mm

Box Dimension (WxHxD): 170 x 135 x 95mm

### Weight

Net Weight: 307g

Gross Weight: 880g

### Accessories (Vary by regions)

Carrying Bag

HDMI Cable

Adaptor

AC Plug

Warranty Card

QSG



Products certified by the Federal Communications Commission and Industry Canada will be distributed in the United States and Canada. Please visit the ASUS USA and ASUS Canada websites for information about locally available products.

All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets.

Specifications and features vary by model, and all images are illustrative. Please refer to specification pages for full details.

PCB color and bundled software versions are subject to change without notice.

Brand and product names mentioned are trademarks of their respective companies.

The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. in the United States and other countries.